

DNS Templates and Handling DNS

Summary

This article provide a summary for creating DNS templates from MachPanel DNS manager and handling DNS (Exchange, SharePoint, CRM, Skype For Business etc.).

Applies To

This article applies to MachPanel all versions.

Managing and Adding DNS Templates

- For automatic handling of DNS for Exchange and SharePoint etc. you have to create appropriate DNS Templates for each service.
- To add a new DNS template, navigate to **Home >> Service Director >> DNS Manager >> DNS Templates** and click **Add DNS Template** button.

ID	DNS Template	In Use	Operations
1	Website Service DNS Template	Yes	Edit Remove
2	MSSQL Database Service DNS Template	Yes	Edit Remove
3	MySQL Database Service DNS Template	No	Edit Remove
4	Mail Service DNS Template	Yes	Edit Remove
5	FTP Service DNS Template	Yes	Edit Remove
6	O365 DNS Template	Yes	Edit Remove
7	Hosted Exchange DNS Template	Yes	Edit Remove

- In the **Template Add** tab first add the title of the template in the Template title field. Enter the 'Template Title' and fill in the required fields i.e records name, type, priority and hostname. There are columns as shown below:

*No template creation is done in case of Domain Registration

1. **Name:** Specify the name of the host e.g. WWW.

DNS Templates and Handling DNS

2. **Class:** A 16 bit value which defines the protocol family or an instance of the protocol. The normal value is IN = Internet protocol.
3. **Type:** There are different types of DNS zone records. These numerous record types give you flexibility in setting up the servers in your domain. The most common types of zone records are:
 - **NS:** Name Server records (NS) state the authoritative name servers for the given domain.
 - An **A** (Address) record is a "host record" and it is the most common type. It is simply a static mapping of a hostname to an IP address. A common hostname for a Web server is 'www' so the A record for this server gives the IP address for this server in the domain.
 - An **MX (Mail eXchanger)** record is specifically for mail servers. It's a special type of service-specifier record. It identifies a mail server for the domain. That's why you don't have to enter a hostname like 'www' in an e-mail address. If you're running SmarterMail (mail server) and IIS (Web server) on the same system (i.e. the same system is acting as both your Web server and e-mail server), both the A record for the system and the MX record would refer to the same server.
 - A **CNAME (Canonical Name)** record is an alias record. It's a way to have the same physical server respond to two different hostnames. Let's say you're not only running SmarterMail and IIS on your server, but you're also running WU-FTPD so it also acts as an FTP server. You could create a CNAME record with the alias name 'ftp' so people would use ftp.your-domain.com and www.your-domain.com to access different services on the same server.
 - **TXT:** Text information associated with a domain.
 - **SRV:** A Service record (SRV record) is a specification of data in the Domain Name System defining the location, i.e. the hostname and port number, of servers for specified services.
4. **Priority:** To offer some fail-over protection for e-mail, MX records also have a Priority field (numeric).
5. **Host:** Specify IP Address of server where service is provisioned or actual domain name using customization keys..
6. **Options:** You can remove form here.

DNS Templates and Handling DNS

- Now you need to integrate a Web (Hostmatic Server) and add a DNS Service to the Hostmatic server. Please check the following KB article on how to integrate web hosting.

<http://kb.machsol.com/Knowledgebase/Article/50283>

Enabling DNS for Exchange

- To handle DNS in SaaS hosting (Exchange, SharePoint, CRM, Skype For Business etc.) Check the option **Handle DNS** from servers by selecting the **Server Group >> Server >> Edit**. See the snapshot below:

Home > Service Director > Exchange Hosting > Exchange Server Groups

Server Groups: **Exchange Hosting Servers** | Email Clients | General Settings | Send Connector for Relay Accepted Domains

Operations

Add Server to Group

Server group: Exchange-ess2019 | Provider: Microsoft Exchange 2019

Status	Server name	Options
Enabled	EX1-ess2019.ess2019.local	Test Service Disable Edit Remove Health Check
Disabled	EX2-ess2019.ess2019.local	Test Service Enable Edit Remove Health Check

Showing: 1- 2 of 2 | Showing per page 25 | Change

Select the check box for **Handle DNS** in Exchange server settings.

*Handle DNS: ☒

Handle DNS

Select primary DNS server: HM1-ess

Apply DNS template: Hosted Exchange DNS Template

*CAS server/CAS array public IP: 10.1.210.113

Save Cancel

DNS Templates and Handling DNS

- Select primary DNS Server from drop down list. DNS Servers must have been added before in MachPanel WebHosting Module
- Select the DNS template for this server
- Enter CAS server or CAS array public IP

Validate DNS

To validate DNS go to path: **Home > Service Director > Exchange Hosting > Exchange Accounts > Manage Service**

Select **Mail Domains** tab as shown below:

Manage - #175

General Settings **Mail Domains** MailBoxes Mail Contacts Distribution List Public Folders Wireless Service Rules Group Actions Log

Compliance Management SPAM Filters Mobile device mailbox policy Application Impersonation Calendar Permissions Mailbox Templates Mail Users

Mail Domain	Type	Default	Options
jame.me	Authoritative	No	Set default Validate DNS Delete
james.me	Authoritative	Yes	Set default Validate DNS Delete

Showing: 1- 2 of 2 Showing per page 50 [Change](#)

Enabling DNS for SharePoint:

- Navigate to **Home >> Service Director >> SharePoint Hosting >> Server Groups**. Click on the appropriate server to open the desired server list. Then click on 'edit' against the server for which you want to enable automatic DNS handling. Now you will see a check box for 'Handle DNS':

Add IIS Binding: ☒ ☐ IP bindings "all Unassigned"

Add Host Entry: ☐

Handle DNS: ☒

Handle Claim Authentication: ☐

Handle DNS


Select primary DNS server: HM1-ess

DNS Templates and Handling DNS

- Select primary DNS Server from drop down list. DNS Servers must have been added before in MachPanel WebHosting Module

Enabling DNS for Domain Registration:

- Navigate to **Home » Service Director »Domain Names»Accounts.**
- Click on the **Settings** tab and check the 'Handle DNS' box:



MachPanel Knowledgebase

<https://kb.machsol.com/Knowledgebase/52395/DNS-Templates-and-Handling-DNS>