

Solution to Active Directory Constraint Violation error

Summary

This article will provide you the solution for the issue of Active Directory Constraint Violation error

Applies to

All Exchange Versions

Error Message

Error: b: Create Global Address List: An Active Directory Constraint Violation error occurred on Dc01.Provider.local. Additional information: The name reference is invalid. This may be caused by replication latency between Active Directory domain controllers. Active directory response: 000020B5: AtrErr: DSID-03153468, #1: 0: 000020B5: DSID-03153468, problem 1005 (CONSTRAINT_ATT_TYPE), data 0, Att 907ff (globalAddressList2) IP= X.X.X.X

Cause

There is a corrupted GAL on Active Directory.

Solution

- Issue the following Powershell script on the Active Directory server

```
$ad = [ADSI]"LDAP://rootDSE";
```

```
$domain = $ad.rootDomainNamingContext;
```

```
$obj = New-Object System.DirectoryServices.DirectoryEntry("LDAP://CN=Microsoft  
Exchange,CN=Services,CN=Configuration,$domain");
```

```
$count = 0;
```

```
$Gals1= $obj.GlobalAddressList;
```

Solution to Active Directory Constraint Violation error

```
foreach($g in $Gals1)

{

    $g= $g.ToString().ToLower();

    if($g.Contains("cn=deleted objects"))

    {

        Write-Host $g;

        $count= $count +1;

    }

}

Write-Host "$Count corrupted GAL entries found in property GlobalAddressList";

$count = 0;

$Gals2= $obj.GlobalAddressList2;

foreach($g in $Gals2)

{

    $g= $g.ToString().ToLower();

    if($g.Contains("cn=deleted objects"))

    {

        Write-Host $g;
```

Solution to Active Directory Constraint Violation error

```
$count= $count +1;  
  
}  
  
}
```

Write-Host "\$Count corrupted GAL entries found in property GlobalAddressList2";

the output will be like below:

```
PS C:\> .\check.ps1
```

```
cn=test.com gal\0adel:1b6f6184-3e84-44a9-8905-54dd55a7407a,cn=deleted  
objects,cn=configuration,dc=provider,dc=local
```

```
1 corrupted GAL entries found in property GlobalAddressList
```

```
0 corrupted GAL entries found in property GlobalAddressList2
```

```
PS C:\>
```

- Remove corrupted GALs from **script output** (highlighted in example above as `cn=test.com gal\0adel:1b6f6184-3e84-44a9-8905-54dd55a7407a,cn=deleted objects,cn=configuration,dc=provider,dc=local`) in : ADSI edit utility > Configuration > Services > CN=Microsoft Exchange > Properties > GlobalAddressList
 - o If there will be corrupted GALs in GlobalAddressList2 - remove them as well.
- Re-run the task

MachPanel Knowledgebase

<https://kb.machsol.com/Knowledgebase/55677/Solution-to-Active-Directory-Con...>