## Solution to Active Directory Constraint Violation error

# **Summary**

This article will provide you the solution for the issue of Active Directory Constraint Violation error

### Applies to

All Exchange Versions

### **Error Message**

Error: b: Create Global Address List: An Active Directory Constraint Violation error occurred on Dc01.Provider.local. Additional information: The name reference is invalid. This may be caused by replication latency between Active Directory domain controllers. Active directory response: 000020B5: AtrErr: DSID-03153468, #1: 0: 000020B5: DSID-03153468, problem 1005 (CONSTRAINT\_ATT\_TYPE), data 0, Att 907ff (globalAddressList2) IP= X.X.X.X

#### Cause

There is a corrupted GAL on Active Directory.

#### **Solution**

Issue the following Powershell script on the Active Directory server

```
$ad = [ADSI]"LDAP://rootDSE";

$domain = $ad.rootDomainNamingContext;

$obj = New-Object System.DirectoryServices.DirectoryEntry("LDAP://CN=Microsoft Exchange,CN=Services,CN=Configuration,$domain");

$count = 0;

$Gals1= $obj.GlobalAddressList;
```

# Solution to Active Directory Constraint Violation error

```
foreach($g in $Gals1)
{
 $g=$g.ToString().ToLower();
 if($g.Contains("cn=deleted objects"))
 {
   Write-Host $g;
   $count=$count +1;
Write-Host "$Count corrupted GAL entries found in property GlobalAddressList";
\text{$count} = 0;
$Gals2= $obj.GlobalAddressList2;
foreach($g in $Gals2)
{
 $g= $g.ToString().ToLower();
 if($g.Contains("cn=deleted objects"))
   Write-Host $g;
```

## Solution to Active Directory Constraint Violation error

```
$count= $count +1;
}
}
```

 $Write-Host \ "\$Count \ corrupted \ GAL \ entries \ found \ in \ property \ GlobalAddressList2";$ 

## the output will be like below:

```
PS C:\> .\check.ps1

cn=test.com gal\0adel:1b6f6184-3e84-44a9-8905-54dd55a7407a,cn=deleted objects,cn=configuration,dc=provider,dc=local
```

1 corrupted GAL entries found in property GlobalAddressList

0 corrupted GAL entries found in property GlobalAddressList2

PS C:\>

- Remove corrupted GALs from script output (highlighted in example above as cn=test.com gal\0adel:1b6f6184-3e84-44a9-8905-54dd55a7407a,cn=deleted objects,cn=configuration,dc=provider,dc=local) in : ADSI edit utility > Configuration > Services > CN=Microsoft Exchange > Properties > GlobalAddressList
  - o If there will be corrupted GALs in GlobalAddressList2 remove them as well.
- Re-run the task

## MachPanel Knowledgebase

https://kb.machsol.com/Knowledgebase/55677/Solution-to-Active-Directory-Con...